

CHI MEI CORPORATION

59-1 SAN CHIA JEN TE TAINAN HSIEN TAIWAN

Material Designation: **PA-777D**

Product Description: Acrylonitrile Butadiene Styrene/Phenyl Maleimide (ABS/PMI), designated "Polylac" furnished as pellets.

Color	Min. Thick. (mm)	Flame Class	HWI	HAI	RTI Elec	RTI Imp	RTI Str	IEC GWIT	IEC GWFI
ALL	1.5	HB	4	0	50	50	50	-	-
CTI: 1	IEC CTI: -	HVTR: 0			D495: 7			IEC Ball Pressure (°C): -	
Dielectric Strength (kV/mm): -		Volume Resistivity (10⁹ohm-cm): -			Dimensional Stability(%): -		ISO Heat Deflection (°C): -		
ISO Tensile Strength (MPa): -		ISO Flexural Strength (MPa): -			ISO Izod Impact (kJ/m²): -		ISO Charpy Impact (kJ/m²): -		
ISO Tensile Impact (kJ/m²): -									

Report Date: 3/10/1993

Underwriters Laboratories Inc®

UL94 small-scale test data does not pertain to building materials, furnishings and related contents. UL 94 small-scale test data is intended solely for determining the flammability of plastic materials used in components and parts of end-product devices and appliances, where the acceptability of the combination is determined by ULI.